INJURY AND ILLNESS PREVENTION PROGRAM

UNIVERSITY OF CALIFORNIA, DAVIS

Plant Pathology and Foundation Plant Services



UC Davis

Plant Pathology and Foundation Plant Services

INJURY AND ILLNESS PREVENTION PROGRAM

This Injury and Illness Prevention Program has been prepared by the University of California, Davis,

Department: Plant Pathology and Foundation Plant Services

This written program is in accordance with UC Davis Policy (<u>Policy and Procedures Manual Section</u> <u>290-15: Safety Management Program</u>) and California Code of Regulations Title 8, Section 3203 (<u>8CCR§3203: Injury and Illness Prevention Program</u>).



TABLE OF CONTENTS

Preface4
Buildings Occupied by Department4
I. Authorities and Responsible Parties5
II. System of Communication6
III. System for Assuring Employee Compliance with Safe Work Practices
IV. Hazard Identification, Evaluation and Inspection8
V. Accident Investigation
VI. Hazard Correction
VII. Health and Safety Training12
VIII. Recordkeeping and Documentation
IX. Resources
X. Completed Tasks



PREFACE

DEPARTMENT NAME: Plant Pathology and Foundation Plant Services

DEPARTMENT DIRECTOR: Dave Rizzo

DEPARTMENT ADDRESS: 356 Hutchison Hall

DEPARTMENT TELEPHONE NUMBER: (530) 752-0300

BUILDINGS OCCUPIED BY DEPARTMENT

1. Building: Hutchison Hall Unit(s): Plant Pathology

> Contact: Andrew Ross Phone: (530) 752-2592

2. Building: Storer Hall Unit(s): Plant Pathology

> Contact: Andrew Ross Phone: (530) 752-2592

Building: Robbins Hall
 Unit(s): Plant Pathology

Contact: Andrew Ross Phone: (530) 752-2592

- 4. Building: Foundation Plant Services
 - Unit(s): Foundation Plant Services

Contact: Andrew Ross Phone: (530) 752-2592



I. AUTHORITIES AND RESPONSIBLE PARTIES

The authority and responsibility for the implementation and maintenance of the Injury and Illness Prevention Program (IIPP) is in accordance with University Policy (<u>UCD Policy & Procedure Manual</u> <u>Section 290-15: Safety Management Program</u>) and California Code of Regulations (<u>8CCR, Section 3203</u>) and is held by the following individuals:

1. Responsible Authority

Name: Dave Rizzo Title: Department Chair Authority: Authority and responsibility for <u>ensuring</u> implementation of this IIPP Signature: David Kinggo 3E2D39C9A2254F3... Date: 1/12/2023

2. Department Designated Authority

Name: Andrew Ross

Signature

Title: Department Safety Coordinator

Authority: Given by Responsible Authority for implementation of this IIPP

4F0B185B908C4DD.

Date: 1/12/2023

All Principal Investigators/supervisors/managers are responsible for the implementation and enforcement of this IIPP in their areas of responsibility in accordance with University Policy (UCD Policy & Procedure Manual Section 290-15: Safety Management Program).



II. SYSTEM OF COMMUNICATION

 Effective communications with employees have been established using the following methods. Check all boxes that apply, list additional department methods in space provided.

X	Standard Operating Procedures Manual
Х	Safety Data Sheets
	Monthly departmental operations meetings
Х	Internal media (department intranet)
Х	EH&S Safety Nets
	Training videos
Х	Safety Newsletter
	Handouts
Х	Building Evacuation Plan
х	E-mail
	Posters and warning labels
Х	Job Safety Analysis
х	Departmental Website
Х	Other (list): quarterly safety committee meetings

 Employees are encouraged to report any potential health and safety hazard that may exist in the workplace. Hazard Alert/Correction Forms (Appendix A) are available to employees for this purpose. Forms are to be placed in the Safety Coordinator's departmental mail box or emailed to them. Employees have the option to remain anonymous when making a report.



III. SYSTEM FOR ASSURING EMPLOYEE COMPLIANCE WITH SAFE WORK PRACTICES

Employees have been advised of adherence to safe work practices and the proper use of required personal protective equipment (PPE). Conformance will be reinforced by discipline for non-compliance in accordance with University policy (UC Davis Personnel Policies for Staff Members- Section 62, Corrective Action).

The following methods are used to reinforce conformance with this program:

- 1. Distribution of Policies
- 2. Training Programs
- 3. Safety Performance Evaluations

Performance evaluations at all levels must include an assessment of the individual's commitment to and performance of the accident prevention requirements of his/her position. The following are examples of factors considered when evaluating an employee's safety performance.

- Adherence to defined safety practices.
- Use of provided safety equipment.
- Reporting unsafe acts, conditions, and equipment.
- Offering suggestions for solutions to safety problems.
- Planning work to include checking safety of equipment and procedures before starting.
- Early reporting of illness or injury that may arise as a result of the job.
- Providing support to safety programs.
- 4. Statement of non-compliance will be placed in performance evaluations if employee neglects to follow proper safety procedures, and documented records are on file that clearly indicate training was provided for the specific topic, and that the employee understood the training and potential hazards.
- 5. Corrective action for non-compliance will take place when documentation exists that proper training was provided, the employee understood the training, and the employee knowingly neglected to follow proper safety procedures. Corrective action includes, but is not limited to, the following: letter of warning, suspension, or dismissal.

Does your department use any additional methods for assuring employee compliance with safe work practices?

YES X NO

initial and annual refresher training. annual safety inspections



IV. HAZARD IDENTIFICATION, EVALUATION AND INSPECTION

Job Hazard Analyses and worksite inspections have been established to identify and evaluate occupational safety and health hazards.

1. Job Safety Analysis:

Job Safety Analysis (JSA) identifies and evaluates employee work functions, potential health or injury hazards, and specifies appropriate safe practices, PPE, and tools/equipment. JSA's can be completed for worksites, an individual employee's job description, or a class of employees' job description. Completed JSA's are located in Appendix B.

The following resources are available for assistance in completing JSA's:

- Laboratory personnel, please refer to the Laboratory Hazard Assessment Tool
- Non-Laboratory personnel, please refer to the <u>JSA/PPE Certification Forms</u> (Example JSAs are located in Appendix B1 and Appendix B2 of this template)

2. Worksite Inspections

Worksite inspections are conducted to identify and evaluate potential hazards. Types of worksite inspections include both periodic scheduled worksite inspections as well as those required for accident investigations, injury and illness cases, and unusual occurrences. Inspections are conducted at the following worksites:

- 1)
 Location:
 Hutchison Hall

 Frequency:
 Annual

 Responsible Person: Andrew Ross

 Records Location:
 online in Inspect program at: https://ehs.ucop.edu
- 2) Location: Storer Hall Frequency: Annual Responsible Person: Andrew Ross Records Location: online in Inspect program at: https://ehs.ucop.edu
- 3) Location: Robbins Hall Frequency: Annual Responsible Person: Andrew Ross Records Location: online in Inspect program at: https://ehs.ucop.edu



Worksite Inspections Continued

4)	Location:	Foundation Plant Services		
	Frequency:	Annual		
	Responsible Persor	: Andrew Ross		
	Records Location:	online in Inspect program at: https://ehs.ucop.edu		

Worksite Inspection Forms

- C1 General Office (Available in Appendix C)
- C2 <u>Laboratory</u>



V. ACCIDENT INVESTIGATION

University Policy requires that work-related injuries and illnesses be reported to Workers' Compensation within 24 hours of occurrence and state regulation requires all accidents be investigated. Employees will immediately notify their supervisor when occupationally-related injuries and illnesses occur, or when employees first become aware of such problems.

- Supervisors will investigate all accidents, injuries, occupational illnesses, and near-miss incidents to identify the causal factors or attendant hazards. Appropriate repairs or procedural changes will be implemented promptly to mitigate the hazards implicated in these events. Injury reporting procedures can be found at the Safety Services Website: <u>Injury Reporting</u>.
- 2. The <u>Injury and Illness Investigation Form</u> (see Appendix D) shall be completed to record pertinent information and a copy retained to serve as documentation. It can be completed by either the supervisor or the Department Safety Coordinator.
- 3. Departments must notify EH&S immediately if there is any possibility an employee has been seriously injured. Please refer to EH&S SafetyNet 121 for further information.
 - Immediately: As soon as practically possible, but no longer than eight hours after the employer knows, or with diligent inquiry, would have known of the death of serious injury or illness
 - Serious injury or illness: Any injury or illness occurring in a place of employment, or in connection with employment, which required inpatient hospitalization for other than medical observation or diagnostic testing, or in which an employee suffers and amputation, the loss of an eye, or any serious degree of permanent disfigurement, but does not include any injury, illness, or death caused by an accident on a public street or highway, unless the accident occurred in a construction zone.



VI. HAZARD CORRECTION

Hazards discovered either as a result of a scheduled periodic inspection or during normal operations must be corrected by the supervisor in control of the work area, or by cooperation between the department in control of the work area and the supervisor of the employees working in that area. Supervisors of affected employees are expected to correct unsafe conditions as quickly as possible after discovery of a hazard, based on the severity of the hazard.

Specific procedures that can be used to correct hazards include, but are not limited to, the following:

- Tagging unsafe equipment "Do Not Use Until Repaired," and providing a list of alternatives for employees to use until the equipment is repaired.
- Stopping unsafe work practices and providing retraining on proper procedures before work resumes.
- Reinforcing and explaining the need for proper PPE and ensuring its availability.
- Barricading areas that have chemical spills or other hazards and reporting the hazardous conditions to appropriate parties.

Supervisors should use the **Hazard Alert/Correction Report (Appendix A)** to document corrective actions, including projected and actual completion dates.

If an imminent hazard exists, work in the area must cease, and the appropriate supervisor must be contacted immediately. If the hazard cannot be immediately corrected without endangering employees or property, all personnel need to leave the area except those qualified and necessary to correct the condition. These qualified individuals will be equipped with necessary safeguards before addressing the situation.

Does your department have any additional Hazard Correction Procedures?

YES NO X



VII. HEALTH AND SAFETY TRAINING

Health and safety training, covering both general work practices and job-specific hazard training is the responsibility of:

Dave Rizzo

and immediate Supervisor(s) as applicable to the following criteria:

- 1. Supervisors are provided with training to become familiar with the safety and health hazards to which employees under their immediate direction and control may be exposed.
- 2. All new employees receive training prior to engaging in responsibilities that pose potential hazard(s).
- 3. All employees given new job assignments receive training on the hazards of their new responsibilities prior to actually assuming those responsibilities.
- 4. Training is provided whenever new substances, processes, procedures or equipment (which represent a new hazard) are introduced to the workplace.
- 5. Whenever the employer is made aware of a new or previously unrecognized hazard, training is provided.

The **Safety Training Attendance Record** form is located in **Appendix E**.



VIII. RECORDKEEPING AND DOCUMENTATION

Documents related to the IIPP are maintained in/at/on:

361 Hutchison Hall or 113 Foundation Plant Service

The following documents will be maintained within the department's IIPP Binder or accessible online folder for at least the length of time indicated below:

- 1. Hazard Alert/Correction Forms (Appendix A form). Retain for three years.
- 2. Employee <u>Job Safety Analysis form</u> (Example JSA's in Appendix B).
- 3. Worksite Inspection Forms (Appendix C form). Retain for three years.
- 4. Injury and Illness Investigation Forms (see Appendix D). Retain for three years.
- 5. Employee Safety Training Attendance Records (Appendix E form). Retain for three years.



IX. RESOURCES

- 1. UC Office of the President: Management of Health, Safety and the Environment, 10/28/05
- 2. UC Davis Policy and Procedure Manual, <u>Section 290-15</u>, Safety Management Program
- California Code of Regulations Title 8, Section 3203, (<u>8CCR §3203</u>), Injury and Illness Prevention Program
- 4. Personnel Policies for Staff Members, Corrective Action, UC PPSM 62
- 5. UC Davis Environmental Health & Safety

Safety Services Website EH&S SafetyNets Safety Data Sheets

Campus COVID-19 Prevention Plan

6. Does your department have any additional resources?

YES NO X





X. COMPLETED TASKS

All tasks are required to be addressed in order to submit this E- IIPP for approval:				
JSA Reviewed:	YES	х	NO	
Annual Worksite Inspection completed:	YES	х	NO	
IIPP Reviewed:	YES	х	NO	
Annual IIPP Training completed:	YES	х	NO	

Approve Well done Andy!

HAZARD ALERT / CORRECTION FORM

Alert Identification No. _____ Department:_____

I. Unsafe Condition or Hazard		
Name: (optional)	Job	0:
Title: (optional)		-
Location of Hazard:		
Building:	Floor:	Room:
Date and time the condition or haz	ard was observed:	
Description of unsafe condition or	hazard:	
What changes would you recomme	end to correct the condition or ha	nzard?
Employee Signature: (optional)		
II. Management/Safety Commit	tee Investigation	
Name of person investigating unsa	6	
Results of investigation (What was sheets if necessary.)	found? Was condition unsafe of	r a hazard?): (Attach additional
Proposed action to be taken to corr Correction Report)	ect hazard or unsafe condition: (Complete and attach a Hazard
Signature of Investigating Party:		
Date:		
	f this form should be routed to the appr and must be maintained in department	

HAZARD ALERT / CORRECTION REPORT

Alert Identification No.

Department:

This form should be used in conjunction with the "Hazard Alert Form" as appropriate, to track the correction of identified hazards.

All hazards should be corrected as soon as possible, based on the severity of the hazard. If a serious imminent hazard cannot be immediately corrected, evacuate personnel from the area and restrict access until the hazard can be addressed.

Supervisor/Safety Coordinator Name:

Telephone:

Date:

Supervisor/Safety Coordinator Signature:

Description and	Date	ed Required Action and Responsible Party	Complet	tion Date
Location of Unsafe Condition	Discovered		Projected	Actual

IIPP–Appendix A January 2022 Completed copies of this form should be routed to the department Safety Coordinator and kept in department files for at least three years.



Instructions: 1. Select assessment category.

2. List tasks/activities: Develop a list of activities, tasks, equipment/tools (group similar tasks/activities).

3. Identify and list potential hazards: for each task, activity or equipment/tools, list and describe the potential hazards.

4. Identify and list controls: for each task, activity, equipment/tools, document controls (i.e. training, equipment, written procedures, PPE...).

5. If PPE is required, complete Part II- PPE Hazard Assessment and Certification.

6. Train affected employees on the final assessment and document the training.

Repeat assessment when new hazards are identified or introduced into the workplace or at least every three (3) years. Laboratory workers must use the online <u>Laboratory Hazard Assessment Tool (LHAT)</u> for PPE hazard assessment.

l am	□ A worksite		Specify location:		
reviewing			Name of employee:		
(check the job description appropriate			Position title:		
			Position titles: Administrative personnel		
box)	class of employ		Location: Business Of		
	Hazard Evaluator		Signature/Date:		
	-				
TAS	Κ/ΑϹΤΙVΙΤΥ	PO	TENTIAL HAZARD	CONTROL	PPE Required? Y/N
General office	e work	motion in due to sli falling ob Physical i earthqua	in, eyestrain, repetitive njury. Physical injuries ps, trips and falls, and jects. Electrical hazards. njuries due to fires, kes, bomb threats and e violence.	Ensure that workstations are ergonomically correct. Keep floors clear of debris and liquid spills. Keep furniture, boxes, etc. from blocking doorways, halls and walking space. Do not stand on chairs of any kind, use proper foot stools or ladders. Do not store heavy objects overhead. Do not top load filing cabinets, fill bottom to top. Do not open more than one file drawer at a time. Brace tall bookcases and file cabinets to walls. Do not use extension cords in lieu of permanent wiring. Ensure that high wattage appliances do not overload circuits. Use GFCIs in receptacles in potentially wet areas. Replace frayed or damaged electrical cords. Ensure that electrical cords are not damaged by being wedged against furniture or pinched in doors. All personnel to receive annual training to the Emergency Action Plan (EAP) and Injury and Illness Prevention Plan (IIPP).	No
Operation of I	motor vehicles		hicle accidents involving injury, or property	All drivers of University vehicles must possess a valid California drivers license and receive the Driver Safety Awareness Course	No
				offered by Fleet Services during the first 6 months of employment and renewed every three years. Hazardous materials may not be transported in personally owned vehicles.	



Training Record

Designated Trainer: (signature is required)

I have read and acknowledge the contents, requirements, and responsibilities outlined in this document:

Name	Signature	Date



Instructions: 1. Select assessment category.

2. List tasks/activities: Develop a list of activities, tasks, equipment/tools (group similar tasks/activities).

3. Identify and list potential hazards: for each task, activity or equipment/tools, list and describe the potential hazards.

4. Identify and list controls: for each task, activity, equipment/tools, document controls (i.e. training, equipment, written procedures, PPE...).

5. If PPE is required, complete Part II- PPE Hazard Assessment and Certification.

6. Train affected employees on the final assessment and document the training.

Repeat assessment when new hazards are identified or introduced into the workplace or at least every three (3) years. Laboratory workers must use the online <u>Laboratory Hazard Assessment Tool (LHAT)</u> for PPE hazard assessment.

lam	□ A worksite		Specify location:		
reviewing	A single emplo	yee's	Name of employee:		
(check the job description			Position title:		
	appropriate				
box) A job description for a class of employees			Location: Industrial Sat		
	Hazard Evaluator	,,	Signature/Date:		
		-	Signature/ Date:		-
TAS	Κ/ΑCTIVITY		TENTIAL HAZARD	CONTROL	PPE Required? Y/N
Working in lal	boratories containing	•	to chemicals via n, contact, ingestion or	Avoid all unnecessary exposures. Reduce exposures that cannot be avoided by minimizing exposure duration and concentration. Proper selection and use of personal protective equipment including gloves, protective eyewear, lab coats, and in some instances respiratory protection. Implementation of proper personal hygiene habits, including washing hands before eating. All personnel to receive on the job and classroom training including UC Lab Safety Fundamentals, Hazardous Waste Management and Minimization and other applicable courses. This will be completed during the first 6 months of employment and renewed every three years.	Lab coat, protective eyewear. Gloves and respiratory protection as needed
Working in lal radiological m	boratories containing naterials.	inhalatio	to radiological agents via n, contact, ingestion or	Avoid all unnecessary exposures. Reduce exposures that cannot be avoided by minimizing exposure	Lab coat, protective eyewear.
injection			duration and concentration. Proper selection and use of personal protective equipment including gloves, protective eyewear, lab coats, and in some instances respiratory protection. Implementation of proper personal hygiene habits, including washing hands and face before eating. All personnel to receive on the job and classroom training including UC Lab Safety Fundamentals, Hazardous Waste Management	Gloves and respiratory protection as needed	



		and Minimization, Radiation Safety	
		and other applicable courses. This	
		will be completed during the first 6	
		months of employment and	
		renewed every three years.	
Working in laboratories containing	Exposure to biological agents via	Avoid unnecessary exposures.	Lab coat,
biological materials.	inhalation, contact, ingestion or	Proper selection and use of	protective
	injection.	personal protective equipment	eyewear.
		including gloves, protective	Gloves and
		eyewear, lab coats, and in some	respiratory
		instances respiratory protection.	protection
		Proper adherence to bloodborne	as needed
		pathogen handling protocols.	
		Implementation of proper personal	
		hygiene habits, including washing	
		hands before eating. Voluntary	
		participation in Hepatitis B vaccination program. Proper	
		adherence to biological waste	
		handling procedures. All personnel	
		to receive Bloodborne Pathogen	
		Program training during the first 6	
		months of employment and	
		renewed annually. Participation in	
		Facilities- specific medical	
		clearances as required.	
Working in laboratories, shops and	Injury from physical hazards	Avoid unnecessary exposures.	Lab coat,
spaces containing physical hazards.	including high voltage, lasers and	Proper selection and use of	protective
	ultraviolet light, compressed gases	personal protective equipment	eyewear.
	and liquids, cryogenic materials,	including gloves, protective	Gloves,
	and specialized equipment as well	eyewear and specialized	respiratory
	as falling objects.	equipment. Employees are not to	protection,
		enter restricted areas unless	protective
		accompanied by a properly trained	headwear,
		individual familiar with the hazards	and
		of the area. Employees are not to	specialized
		operate specialized equipment	equipment
		without proper training and	as needed
		documentation. Watch for	
		overhead hazards and wear head	
		protection if needed. Personnel	
		auditing or routinely entering	
		areas where lasers are used will	
		receive laser safety training within	
		6 months of employment and	
		renewed every three years.	
Working in laboratories and animal	Exposure to animals and animal	Avoid unnecessary exposures.	Lab coat,
housing facilities containing	allergies via inhalation and contact.	Proper selection and use of	protective
animals.		personal protective equipment	eyewear.
		including gloves, protective	Gloves and
		eyewear, lab coats, and in some	respiratory
		instances respiratory protection.	protection
		Proper adherence to animal care	as needed



		and use protocols.	
		Implementation of proper personal	
		hygiene habits, including washing	
		hands before eating. Participation	
		in the occupational health program	
		for animal workers. All personnel	
		to receive the IACUC Animal Care	
		and Use 101 training during the	
		first 6 months of employment and	
		renewed every three years.	
		Participation in Facilities-specific	
		medical clearances as required.	
Handling and moving heavy items	Ergonomic hazards including heavy	Get help with all loads that cannot	Hand and
and equipment.	lifting, repetitive motions,	be safely lifted by one person. Use	foot
and equipment.	awkward motions, crushing or	mechanical means to lift and move	protection
	pinching injuries, etc.	heavy items, push carts and dolly	as needed
			asneeueu
		rather than pull, and employ	
		proper lifting techniques at all	
		times. Set up work operations as	
		ergonomically safe as practical.	
		Wear proper hand and foot	
		protection to protect against	
		crushing or pinching injuries.	
		Personnel to receive Back Safety	
		and Injury Prevention training prior	
		to being assigned job task involving	
		handling and moving heavy	
		items/equipment.	
Exposure to noise hazards.	Hearing loss due to noise	Voluntarily participate in the	Hearing
	exposure.	Hearing Conservation Program.	protection
		Use hearing protection as	(ear plugs
		required. All personnel to receive	and muffs,
		Hearing Conservation training	etc.)
		within 6 months of employment	
		and renewed annually.	
General office work.	Back strain, eyestrain, repetitive	Ensure that workstations are	No
	motion injury. Physical injuries	ergonomically correct. Keep floors	
	due to slips, trips and falls, and	clear of debris and liquid spills.	
	falling objects. Electrical hazards.	Keep furniture, boxes, etc. from	
	Physical injuries due to fires,	blocking doorways, halls and	
	earthquakes, bomb threats and	walking space. Do not stand on	
	workplace violence.	chairs of any kind, use proper foot	
		stools or ladders. Do not store	
		heavy objects overhead. Do not	
		top load filing cabinets, fill bottom	
		to top. Do not open more than	
		one file drawer at a time. Brace	
		tall bookcases and file cabinets to	
		walls. Do not use extension cords	
		in lieu of permanent wiring.	
		Ensure that high wattage	
		appliances do not overload circuits.	
	1	appliances do not overioad circuits.	
		Use GFCIs in receptacles in	



		potentially wet areas. Replace	
		frayed or damaged electrical cords.	
		Ensure that electrical cords are not	
		damaged by being wedged against	
		furniture or pinched in doors. All	
		personnel to receive annual	
		training to the Emergency Action	
		Plan (EAP) and Injury and Illness	
		Prevention Plan (IIPP).	
Operation of motor vehicles.	Motor vehicle accidents involving	All drivers of University vehicles	No
	personal injury, or property	must possess a valid California	
	damage.	drivers license and receive the	
		Driver Safety Awareness Course	
		offered by Fleet Services during	
		the first 6 months of employment	
		and renewed every three years.	
		Hazardous materials may not be	
		transported in personally owned	
		vehicles.	



Training Record

Designated Trainer: (signature is required)

I have read and acknowledge the contents, requirements, and responsibilities outlined in this document:

Name	Signature	Date

WORKSITE INSPECTION FORM

General Office Environment

Location:	Date:
Inspector:	Phone:

Department:

Administration and Training

Yes	No	NA	1.	Are all safety records maintained in a centralized file for easy access? Are training records current?
Yes	No	NA	2.	Have all employees attended Injury & Illness Prevention Program training? Has the training been documented?
Yes	No	NA	3.	Does the department have a completed Emergency Action Plan? Are employees trained on its contents and training documented?
Yes	No	NA	4.	Are chemical products used in the office being purchased in small quantities? Are Safety Data Sheets available/accessible?
Yes	No	NA	5.	Are mandatory employment notices and posters posted: https://www.hr.ucdavis.edu/supervisors/posters-required-by-law ?
Yes	No	NA	6.	Are annual workplace inspections performed and documented?

General Safety

Yes \square No \square NA \square 7.	
	Are exits, fire alarms, pullboxes clearly marked and unobstructed?
Yes \square No \square NA \square 8.	Are aisles and corridors unobstructed to allow unimpeded
	evacuations?
	Is a clearly identified, unobstructed, charged, currently inspected
Yes \square No \square NA \square 9.	and tagged, wall-mounted fire extinguisher available as required by
	UC Davis Fire?
Yes \square No \square NA \square 10	Are ergonomic issues being addressed for employees using
$ Yes \square No \square NA \square 10$	computers or at risk of repetitive motion injuries?
Yes \square No \square NA \square 11	Is a fully stocked first-aid kit available? Is the location known to all
$Yes \square No \square NA \square 11$	employees in the area?
	Are cabinets, shelves, and furniture over five feet tall secured to
YesNoNA12	prevent toppling during earthquakes?
	Are books and heavy items and equipment stored on low shelves
Yes 🗆 No 🗆 NA 🗆 13	and secured to prevent them from falling on people during
	earthquakes?
Yes 🗆 No 🗆 NA 🗆 14	Is the office kept clean of trash and recyclables promptly removed?

Electrical Safety

Yes		No		NA	15.	Are plugs, cords, electrical panels, and receptacles in good condition? No exposed conductors or broken insulation?
Yes		No		NA	16.	Are circuit breaker panels accessible and labeled?
Yes		No		NA	17.	Are surge protectors being used? If so, they must be equipped with an automatic circuit breaker, have cords no longer than 15 feet in length, and be plugged directly into a wall outlet.
Yes		No		NA	18.	Is lighting adequate throughout the work environment?
Yes		No		NA	19.	Are extension cords being used correctly? They must not run through walls, doors, ceiling, or present a trip hazard.
Yes No NA 20. Are portable electric heaters being used? If so, they must be UL listed, plugged directly into a wall outlet, and located away from combustible materials.						
IIPP Annendix C1 Office Completed capies of this form should be routed to the department Sefety Coordinator						

IIPP-Appendix C1-Office January 2022 Completed copies of this form should be routed to the department Safety Coordinator and must be maintained in department files for at least three years.

IIPP – Appendix D

Please access the <u>Injury Reporting Procedure</u> page on the Safety Services website.

http://safetyservices.ucdavis.edu/article/injury-reporting-procedure

Complete the electronic **Employer's First Report** as soon as practicable.

Completed copies of this form should be routed to the department Safety Coordinator and must be maintained in department files for at least three years.

SAFETY TRAINING ATTENDANCE RECORD

Training Topic:		Date:
Instructor:	Training Aids:	
Location:	Time:	

Attendees – Please print and sign your name legibly. Use additional sheets if necessary.

No.	Print Name	Signature/Date
1		
2.		
3.		
4.		
6		
7		
8 9		
10		
10. <u> </u>		
12		
12		
13. <u> </u>		
15.		
16.		
17.		
18.		
19.		
20.		
21		
21		
<u></u>		
<u></u>		
24		
25.		
26.		
27		
<u></u>		
29.		
30.		

IIPP-Appendix E
January 2022Completed copies of this form should be routed to the department Safety Coordinator
and must be maintained in department files for at least three years.

ADDITIONAL BUILDINGS LIST FOR IIPP

Building: Plant Pathology lab at Armstrong Field Research Station
 Unit: Plant Pathology
 Contact: Andrew Ross
 Phone 530 752-2592

- 6. Building: Foundation Plant Services
 Unit: Laboratory
 Contact: Deb Golino or Maher Al Rwahnih
 Phone: (530)304-9267 or (530) 574-5463
- Building: Viticulture Relocation Bldg B, rm 0005 and 0006
 Unit: Laboratory
 Contact: Deb Golino or Maher Al Rwahnih
 Phone: (530)304-9267 or (530) 574-5463

ADDITIONAL WORKSITE INSPECTION LOCATIONS FOR IIPP

5. Location: Plant Pathology lab at Armstrong Field Research Station

Frequency: annual

Responsible Person: Andrew Ross

Records Location: Online in Inspect program at: <u>https://ehs.ucop.edu</u>

- 6. Location: Foundation Plant Services
 Frequency: annual
 Responsible Person: Lori Leong
 Records Location: Online in Inspect program at: <u>https://ehs.ucop.edu</u>
- 7. Location: Viticulture Relocation Bldg B, rm 0005 and 0006
 Frequency: annual
 Responsible Person: Lori Leong
 Records Location: Online in Inspect program at: <u>https://ehs.ucop.edu</u>



Instructions: 1. Select assessment category.

2. List tasks/activities: Develop a list of activities, tasks, equipment/tools (group similar tasks/activities).

3. Identify and list potential hazards: for each task, activity or equipment/tools, list and describe the potential hazards.

4. Identify and list controls: for each task, activity, equipment/tools, document controls (i.e. training, equipment, written procedures, PPE...).

5. If PPE is required, complete Part II- PPE Hazard Assessment and Certification.

6. Train affected employees on the final assessment and document the training.

Repeat assessment when new hazards are identified or introduced into the workplace or at least every three (3) years. Laboratory workers must use the online <u>Laboratory Hazard Assessment Tool (LHAT)</u> for PPE hazard assessment.

l am reviewing	🛛 A worksite		Specify location: Hutch Foundation Plant Servic	ison, Robbins, Armstrong, and ces office areas	
(check the	A single emplo	vee's	Name of employee:		
appropriate	job description	•	Position title:		
box)	A job descripti		Position titles:		
	class of employ		Location:		
	Hazard Evaluator		Signature/Date:		
	Κ/ΑCTIVITY		TENTIAL HAZARD	CONTROL	PPE Required? Y/N
Cor	mputer use	-	nic injuries, carpel tunnel,	Ergonomics for computer users	Ν
		-	strain, arthritis, other	safety training and evaluation	
		Wris	st/neck/back injuries	strongly recommended, ergonomic	
				key boards/chairs/etc. provided upon individual requests	
Filing star	pling, writing, etc.	Rene	etitive motion injuries	Ergonomics training and	N
1 1116, 500		пер	the motion injunes	evaluation strongly recommended,	
				ergonomic equipment provide	
				upon request	
Conor	al office work	Sline t	ring falls falling objects	Safaty Training required Never	N
Gener	al office work	Silps, t	rips, falls, falling objects	Safety Training required. Never under any circumstance stand on a	IN
				chair or other piece of furniture.	
				Always use a step stool of ladder to	
				retrieve items from high locations.	
				Keep floors clear of debris and	
				liquid spills. If a spill can't be	
				cleaned immediately, use the "wet	
				floor" sign to warn others of the	
				potential hazard. Keep furniture,	
				boxes, etc. from blocking	
				doorways, halls and walking space.	
				Do not store heavy objects	
				overhead. Do not top-load filing cabinets, fill from bottom to top.	
				Do not open more than one file	
				drawer at a time. Brace tall	
				bookcases and tall file cabinets to	
				walls. Refer to EH&S SafetyNet #	
				46 and 83.	
Gener	al office work		Electrical hazards	Safety Training required. Never use	Ν
				2 to 3 prong adapters in electrical	
				outlets, all large appliances	
				(refrigerators, microwaves ovens,	
				etc.) are plugged directly into an	



		outlot Nover eventeed evidence	
		outlet, Never overload outlets or	
		daisy chain extension cords/power	
		strips, keep electrical cords away	
		from walk paths, UCD facilities	
		department or MCB shop	
		technicians address all electrical	
		problems (replacing light bulbs,	
		replacing ballasts, cracked or	
		frayed wires, etc.), annual	
		inspections performed by the fire	
		marshal or lab safety professional	
		with EH&S, refer to safety nets #	
		20 & 109N	
Handling/moving heavy items	Back/lifting injuries	Use lift cart or ask for assistance	Ν
		whenever possible, proper lifting	
		procedures followed as per safety	
		net #46, Back injury prevention	
		training required for anyone who	
		lifts heavy objects regularly.	
General workplace	Physical injuries due to fires,	Annual training on Departmental	N
·	earthquakes, workplace violence,	Emergency Action Plan (EAP), EAP	
	etc.	followed by all employees, copy of	
		EAP available for all employees in	
		mailroom on 3rd floor of Hutchison	
		Hall, workplace violence training	
		available from UCD police	
		department	



Training Record

Designated Trainer: (signature is required)

I have read and acknowledge the contents, requirements, and responsibilities outlined in this document:

Name	Signature	Date



Instructions: 1. Select assessment category.

2. List tasks/activities: Develop a list of activities, tasks, equipment/tools (group similar tasks/activities).

3. Identify and list potential hazards: for each task, activity or equipment/tools, list and describe the potential hazards.

4. Identify and list controls: for each task, activity, equipment/tools, document controls (i.e. training, equipment, written procedures, PPE...).

5. If PPE is required, complete Part II- PPE Hazard Assessment and Certification.

6. Train affected employees on the final assessment and document the training.

Repeat assessment when new hazards are identified or introduced into the workplace or at least every three (3) years. Laboratory workers must use the online <u>Laboratory Hazard Assessment Tool (LHAT)</u> for PPE hazard assessment.

l am reviewing (check the appropriate box)	⊠ A worksite		Foundation Plant Servic	son, Robbins, Armstrong, and ces green houses, screen houses, he shop, and all field sites (Russell Ran etc.)	
502)	□ A single emplo	yee's	Name of employee:		
	job descriptior	1	Position title:		
	🛛 A job descripti	on for a	Position titles:		
	class of employ	yees	Location:		
	Hazard Evaluator		Signature/Date:		
TAS	K/ACTIVITY	PC	TENTIAL HAZARD	CONTROL	PPE Required? Y/N
Vehicular transportation (car, truck, bicycle, etc.)		related	on or traffic accident injuries (crushes, cuts, sprains, strains, breaks, burns, etc.)	Registered UC Davis employee with valid driver's license required, successful completion of the UCD safe driver awareness training program strongly recommended (access course at: http://lms.ucdavis.edu/)	No
Transportat	ion (walking, hiking, etc.)		ips, slips (cuts, scrapes, breaks, strains, bruises, bumps, etc.)	Appropriate field attire required (i.e.: closed toe/closed heel shoes, long pants, no sandals, no shorts, no bare shoulders, no bare midriffs), tri- annual field safety training required	No
Equipment use (pumps, sprayers, tractors, chain saws, pruners, etc.)		(crus spra	or to severe injuries hes, cuts, abrasions, ins, strains, breaks, ectrical shock, etc.)	Standard Operating Procedures (SOP's) required for any hazardous equipment use, documented training on equipment required through UC Davis Learning Management System (LMS) (Ex: hand and power tool training course for anyone who uses a chain saw), all equipment must be in good working order with all safety controls in place (EX: chain break and guard on chain saw, etc.)	Yes



Environmental hazards (climate, weather, animals, insects, plants, etc.)	Exposure or contact related injuries (heat illness, heat stress, cold stress, bee stings, poison oak, bites, allergies, etc.)	Annual heat illness prevention training required, tri-annual field safety training required	No
Chemical, biological, or pesticide application (fertilizer, bio-control agents, fungicides, insecticides, herbicides, etc.)	Exposure related injuries (ingestion, inhalation, burns, poisoning, rash, irritation, allergy, etc.)	Qualified applicator certificate required for insecticide use, hazardous communications training or UC fundamentals of lab safety course and laboratory hazard assessment tool training required, tri- annual field safety training required	Yes
Lifting, climbing, repetitive motion	Back injuries, falls from ladders, repetitive motion injuries, etc.	Appropriate safety training required for task (i.e.: ladder safety training for persons who climb ladders, ergonomics training for repetitive motion activities, etc.)	No
Power tools and equipment hazards (welders, drill presses, table saw, grinders, hand drills, circular saws, radial arm saw, etc.)	Minor, severe, to fatal injuries (crushes, cuts, abrasions, sprains, strains, breaks, electrical shock, etc.)	All person using equipment or tools must be trained on the safe use and operation of that tool prior to using, All PPE's are provided by the department to ensure the safety of operators. PPE's must be worn by power tool or equipment operators at all times	Yes



Training Record

Designated Trainer: (signature is required)

I have read and acknowledge the contents, requirements, and responsibilities outlined in this document:

Name	Signature	Date